

Column Name	Data Type	Allow Nulls
id	int	<input type="checkbox"/>
ad	nvarchar(20)	<input type="checkbox"/>
soyad	nvarchar(20)	<input type="checkbox"/>
adres	nvarchar(50)	<input checked="" type="checkbox"/>
		<input type="checkbox"/>

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;

namespace veriguncelleme
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        SqlConnection conn = new SqlConnection("Data Source=.\SQLEXPRESS; Initial Catalog=ders-ornek;Integrated Security=true;");
        private void button1_Click(object sender, EventArgs e)
        {
            if (conn.State == ConnectionState.Closed)
                conn.Open();

            string sorgu = "Select * from bilgi";
            SqlDataAdapter adp = new SqlDataAdapter(sorgu,conn);
            DataSet ds = new DataSet();
            adp.Fill(ds);

            dataGridView1.DataSource = ds.Tables[0];
        }
        int deger;
        private void dataGridView1_CellClick(object sender, DataGridViewCellEventArgs e)
        {
            textBox1.Text = dataGridView1.Rows[e.RowIndex].Cells[1].Value.ToString();
            textBox2.Text = dataGridView1.Rows[e.RowIndex].Cells[2].Value.ToString();
            textBox3.Text = dataGridView1.Rows[e.RowIndex].Cells[3].Value.ToString();
            deger = Convert.ToInt16(dataGridView1.Rows[e.RowIndex].Cells[0].Value.ToString());
        }


        private void dataGridView1_CellContentClick(object sender, DataGridViewCellEventArgs e)
        {

        }

        private void button2_Click(object sender, EventArgs e)
        {
            if (conn.State == ConnectionState.Closed)
                conn.Open();
        }
    }
}

```

```
        string sorgu = "update bilgi set  
ad='"+textBox1.Text+"',soyad='"+textBox2.Text+"',adres='"+textBox3.Text+"' where id='"+deger+"';  
SqlCommand cmd = new SqlCommand(sorgu,conn);  
cmd.ExecuteNonQuery();  
MessageBox.Show("Kayıt güncellendi..");  
this.InvokeOnClick(button1, EventArgs.Empty);  
    }  
}  
}
```



```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;

namespace veriguncelleme
{
    public partial class Form2 : Form
    {
        public Form2()
        {
            InitializeComponent();
        }
        int secilendeger;
        SqlConnection conn = new SqlConnection("Data Source=.\SQLExpress; Initial Catalog=ders-ornek; Integrated Security=true;");
        private void Form2_Load(object sender, EventArgs e)
        {
            if (conn.State == ConnectionState.Closed)
                conn.Open();

            string sorgu = "Select * from bilgi";
            SqlDataAdapter adp = new SqlDataAdapter(sorgu, conn);
            DataSet ds = new DataSet();
            adp.Fill(ds);

            for (int i = 0; i <= ds.Tables[0].Rows.Count - 1; i++)
                comboBox1.Items.Add(ds.Tables[0].Rows[i][0]);
        }
    }
}
```

```
private void comboBox1_SelectedIndexChanged(object sender, EventArgs e)
{
    secilendeger = Convert.ToInt16(comboBox1.Text);

    if (conn.State == ConnectionState.Closed)
        conn.Open();

    string sorgu = "Select * from bilgi where id=" + secilendeger + "";
    SqlDataAdapter adp = new SqlDataAdapter(sorgu, conn);
    DataSet ds = new DataSet();
    adp.Fill(ds);

    textBox1.Text = ds.Tables[0].Rows[0][1].ToString();
    textBox2.Text = ds.Tables[0].Rows[0][2].ToString();
    textBox3.Text = ds.Tables[0].Rows[0][3].ToString();
}
}
```