



	Column Name	Data Type	Allow Nulls
▶	No	int	<input type="checkbox"/>
	Ad	nvarchar(30)	<input type="checkbox"/>
	Soyad	nvarchar(30)	<input type="checkbox"/>
	Bolum	nvarchar(30)	<input type="checkbox"/>
			<input type="checkbox"/>

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;
namespace WindowsFormsApp2
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        SqlConnection conn = new SqlConnection("Data Source =.\\SQLEXPRESS; Initial
Catalog = bilgi; " + "Integrated Security = true; Connect Timeout = 100");
        private void Form1_Load(object sender, EventArgs e)
        {
            if (conn.State == ConnectionState.Closed)
```

```

        conn.Open();
        string sorgu = "select distinct(bolum) from ogrenci";
        SqlDataAdapter adp = new SqlDataAdapter(sorgu, conn);
        DataSet ds = new DataSet();
        adp.Fill(ds);
        for(int i=0;i<=ds.Tables[0].Rows.Count-1;i++)
        {
            comboBox1.Items.Add(ds.Tables[0].Rows[i][0].ToString());
        }
    }

private void comboBox1_SelectedIndexChanged(object sender, EventArgs e)
{
    if (conn.State == ConnectionState.Closed)
        conn.Open();
    string sorgu = "select * from ogrenci where Bolum='" + comboBox1.Text +
""";

    SqlDataAdapter adp = new SqlDataAdapter(sorgu, conn);
    DataSet ds = new DataSet();
    adp.Fill(ds);
    dataGridView1.DataSource = ds.Tables[0];
}
}
}
}

```