


Column Name	Data Type	Allow Nulls
no	int	<input type="checkbox"/>
ad	nvarchar(30)	<input type="checkbox"/>
soyad	nvarchar(30)	<input type="checkbox"/>
telefon	nvarchar(11)	<input type="checkbox"/>
		<input type="checkbox"/>



```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;

namespace WindowsFormsApp2
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }

        SqlConnection conn = new SqlConnection("Data Source =.\SQLEXPRESS; Initial Catalog=bilgi; " +
            "Integrated Security = true; Connect Timeout = 100");
        private void Form1_Load(object sender, EventArgs e)
        {

        }

        private void button1_Click(object sender, EventArgs e)
        {
            if (conn.State == ConnectionState.Closed)
                conn.Open();
            string sorgu = "select * from ogrenci where No=" + textBox1.Text + "";
        }
    }
}

```

```

        if (sorgula(Convert.ToInt16(textBox1.Text)))//böyle bir öğrenci var mı
        {//varsa
            SqlDataAdapter adp = new SqlDataAdapter(sorgu, conn);
            DataSet ds = new DataSet();
            adp.Fill(ds);
            textBox2.Text = ds.Tables[0].Rows[0][1].ToString();//ad
            textBox3.Text = ds.Tables[0].Rows[0][2].ToString();//soyad
            textBox4.Text = ds.Tables[0].Rows[0][3].ToString();//telefon
        }
        else//yoksa
            MessageBox.Show("Bu numarada kayıtlı öğrenci yok...");}
    }

    private void button2_Click(object sender, EventArgs e)
    {
        if (conn.State == ConnectionState.Closed)
            conn.Open();
        string sorgu = "update ogrenci set ad = '" + textBox2.Text + "','" +
                      "soyad = '" + textBox3.Text + "',Telefon = '" + textBox4.Text + "' where No =
"+textBox1.Text+ "'";
        SqlCommand cmd = new SqlCommand(sorgu, conn);
        cmd.ExecuteNonQuery();
        MessageBox.Show("İşlem Başarılı...");
        conn.Close();
    }
    private void button3_Click(object sender, EventArgs e)
    {
        if (conn.State == ConnectionState.Closed)
            conn.Open();
        string sorgu = "insert into ogrenci(ad,soyad,telefon) values('" +
+textBox2.Text + "','" +
                      "','" + textBox3.Text + "','" + textBox4.Text + "') ";
        SqlCommand cmd = new SqlCommand(sorgu, conn);
        cmd.ExecuteNonQuery();
        MessageBox.Show("Kayıt Başarılı Şekilde Yapılmıştır...");
    }
    private void button4_Click(object sender, EventArgs e)
    {
        if (conn.State == ConnectionState.Closed)
            conn.Open();
        string sorgu = "delete from ogrenci where No='" + textBox1.Text + "'";
        if (sorgula(Convert.ToInt16(textBox1.Text)))
        {
            SqlCommand cmd = new SqlCommand(sorgu, conn);
            cmd.ExecuteNonQuery();
            MessageBox.Show("İşlem Başarılı...");
        }
        else
            MessageBox.Show("Bu numarada öğrenci yok...");}
        conn.Close();
    }

    bool sorgula(int numara)
    {
        if (conn.State == ConnectionState.Closed)
            conn.Open();
        string sorgu = "select * from ogrenci where No=" + numara + "";
        SqlDataAdapter adp = new SqlDataAdapter(sorgu, conn);
        DataSet ds = new DataSet();
        adp.Fill(ds);
        if (ds.Tables[0].Rows.Count > 0)
            return true;
    }

```

```
        else
            return false;
    }
}
```